Hand protection

VE722

WORKS IN OILY ENVIRONMENT

Mechanical glove, ideal for oily and greasy environments



Certifications and norms

CE CATEGORY II

EN 388
4 1 2 1 X

Protects against risks

Wearing

Specific benefits

Hygiene

· Nitrile means no risk of allergies for users

Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- **Public works**
- **Building**
- **Finishing works / Craftsmanship**
- **Maintenance**
- **Automotive**
- **Mining**

Hand protection

VE722

WORKS IN OILY ENVIRONMENT

Mechanical glove, ideal for oily and greasy environments

Standards - Details

EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	Polyester
Coating level	Palm coated
Coating material	Nitrile
Coating finition	Grip-textured
Number of layer	Single layer
Gauge	13
Benefits element	Reach, Vendor pack
Color	Grey-Black
Size	7, 8, 9, 10
Type of packaging	in individual bag

Packaging

Sale unit: in individual bag
120 pairs /box

Safety gloves

VE722

WORKS IN OILY ENVIRONMENT

Mechanical glove, ideal for oily and greasy environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GKE722U101GR07 [VE722NO07]	Grey-Black	07	VE722	3295249177621	13295249177628	120	12	6.0 kg	28.2 cm	56.4 cm	26.0 cm
GKE722U101GR08 [VE722NO08]	Grey-Black	08	VE722	3295249177638	13295249177635	120	12	6.5 kg	28.6 cm	56.8 cm	26.0 cm
GKE722U101GR09 [VE722NO09]	Grey-Black	09	VE722	3295249177645	13295249177642	120	12	6.5 kg	28.8 cm	56.8 cm	25.6 cm
GKE722U101GR10 [VE722NO10]	Grey-Black	10	VE722	3295249177652	13295249177659	120	12	7.5 kg	29.0 cm	57.0 cm	26.4 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height