Hand protection

# VV836

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use



## Certifications and norms

CE CATEGORY III

**EN 388**
3 1 2 1 A

**EN ISO 374-1**
TYPE A
KLMNPT

**EN ISO 374-5**

## Protects against risks

Biological

Chemical

Particules

## Specific benefits

### Durability

· Longer service life thanks to a double coating for excellent abrasion resistance

### Hygiene

· Nitrile means no risk of allergies for users

· Silicone-free/latex-free/DMF-free to reduce the risk of allergies without leaving traces on components

### Performance

· Lightweight for optimal dexterity

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

## Technologies & labels

0% DMF DMF-free

0% SILICONE Silicon-free

## Applications

- **Public works**
- **Building**
- **Maintenance**
- **Chemical industry**
- **Automotive**
- **Oil & Gas (extraction)**

Hand protection

# VV836

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

## Standards - Details

**EN388:2016+A1:2018**
3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
A [A-F] CUT RESISTANCE ISO 13997

**EN 374**
K
L
M
N
P
T

## Technical details

| | |
|---|---|
| Glove kind | Tight glove |
| Glove family | Tight glove supported |
| Tight glove kind | Supported |
| Coating level | Fully coated |
| Coating material | Nitrile, PVC |
| Coating finition | Grip-textured, Double Layer |
| Number of layer | Double Layer |
| Lining material | Synthetical textile |
| Thickness (mm) | 1 |
| Gauge | 18 |
| Arm level protection | Forearm cuff (< 400mm) |
| Benefits element | Reach, Free latex, Silicone free, DMF free, Long cuff (>290mm) |
| Color | Blue |
| Size | 9, 10, 11 |
| Type of packaging | Bulk bag of 6 |

## Packaging

Sale unit: Bulk bag of 6
60 pairs /box

Hand protection

# VV836

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

## Permeation table

| Chemicals | Letter | CAS # | Permeation level | Permeation time (minutes) | Dégradation moyenne |
|---|---|---|---|---|---|
| Sodium hydroxide 40% | K | CAS 1310-73-2 | 6 | 480 | 2,6% |
| Sulphuric acid 96 % | L | CAS 7664-93-9 | 3 | 60 | 37,1% |
| Nitric acid 65% | M | CAS 7697-37-2 | 2 | 30 | 28,2% |
| Acetic acid 99% | N | CAS 64-19-7 | 2 | 30 | 15,9% |
| Hydrogen peroxide 30% | P | CAS 7722-84-1 | 4 | 120 | 7,9% |
| Formaldehyde 37% | T | CAS 50-00-0 | 5 | 240 | 9,6% |

Safety gloves

# VV836

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove offering a very good grip on objects handled during prolonged use

## Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | | | Weight | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| GWV836C101BL09 [ VV836BL09 ] | Blue | 09 | VV836 | 3295249213435 | 13295249213432 | 60 | 6 | 11.0 kg | 34.0 cm | 53.4 cm | 25.6 cm |
| GWV836C101BL10 [ VV836BL10 ] | Blue | 10 | VV836 | 3295249213442 | 13295249213449 | 60 | 6 | 12.0 kg | 34.2 cm | 54.4 cm | 26.4 cm |
| GWV836C101BL11 [ VV836BL11 ] | Blue | 11 | VV836 | 3295249213459 | 13295249213456 | 60 | 6 | 12.1 kg | 34.2 cm | 53.8 cm | 25.4 cm |

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height